

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(MT Mobile adj terminal) with internal adj rout\$3 with SGSN.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 16:53
L2	33	SGSN with receiv\$3 near2 information.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 16:53
L3	701	radio and address adj table and packets and compare and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 16:54
L4	333	L3 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 16:54
L5	7	L4 and GPRS.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 16:54

L6	3	(Radio adj network adj controller RNC) same address same table .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 16:54
L7	2	(mobile adj terminal\$1 MT Mobile adj station MS)with (radio adj network adj control\$4 RNC) with SGSN with server.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 16:54
L9	8	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)and (Address adj resolution adj protocol ARP) and (serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 17:02
L10	38844	Fukui.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 17:02
L11	9509	akito.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 17:02
L12	169	Fukui-akito.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 17:02

S1	0	("Packetadjcommunicationadjsystem").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 08:03
S2	3127	packet adj communication adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 08:03
S3	2	S2 same base adj station same radio adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 08:08
S4	4	"6735187"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 08:09
S5	3127	packet adj communication adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:14
S6	1	S5 and address adj table and stor\$4 and determiner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:14
S7	10	S5 and address adj table and stor\$4 and compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:15

S8	56	radio same address same packets same compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:20
S9	24	radio same address same packets same compare same stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:24
S10	1	radio same address adj table same packets same compare same stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:27
S11	524	radio and address adj table and packets and compare and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:28
S12	228	S11 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:29
S13	29	S12 and GPRS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:30
S14	3131	packet adj communication adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 07:20

S15	11	S14 and 370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 07:20
S16	69	S14 and 370/338.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 07:20
S17	70	S14 and 370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 07:21
S18	0	(Radio adj network adj controller RNC) near address near table near stor\$3 near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 09:16
S19	4	(Radio adj network adj controller RNC) same address same table same stor\$3 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 09:17
S20	35	(Radio adj network adj controller RNC) same address same table same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 09:20

S21	0	(Radio adj network adj controller RNC) near address near table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 09:31
S22	107	(Radio adj network adj controller RNC) same address same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 09:31
S23	112	(Radio adj network adj controller RNC) same address same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/13 13:34
S24	72	S23 and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/13 13:34
S25	0	sgsn near2 internal adj server adj access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 14:54
S26	0	sgsn with internal adj server adj access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 14:55

S27	0	sgsn same internal adj server adj access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 14:55
S28	3	sgsn same internal adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 14:55
S29	8	rnc with mobile adj terminal with base adj station with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 15:11
S30	4	SGSN with server with mobile adj terminal with base adj station and RNC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 15:17
S31	322	SGSN with receiv\$3 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 15:20
S32	28	SGSN with receiv\$3 near2 information with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/17 15:20

S33	37	establish\$3 with session with (Mobile adj station mobile adj terminal MS MT) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/27 09:07
S34	6	establish\$3 with session with (Mobile adj station mobile adj terminal MS MT) with SGSN and (transmit \$3 send\$3)with RNC with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/27 09:09
S35	0	establish\$3 with session with (Mobile adj station mobile adj terminal MS MT) with SGSN and internal adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 11:48
S36	30	establish\$3 with session with (Mobile adj station mobile adj terminal MS MT) with SGSN and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 11:49
S37	0	establish\$3 with session with (Mobile adj station mobile adj terminal MS MT) with SGSN and server adj access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 12:11
S38	3	establish\$3 with session with SGSN and(Radio adj network adj controller RNC) same address same table same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 12:22

S39	332	(mobile adj terminal\$1 MT Mobile adj station MS)with (radio adj network adj control\$4 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 12:46
S40	3	establish\$3 with session and(Radio adj network adj contoller RNC) same address same table same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 14:54
S41	27	(mobile adj terminal\$1 MT Mobile adj station MS)with (radio adj network adj control\$4 RNC) with SGSN with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 15:01
S42	0	(radio adj network adj control\$3 RNC) with server\$1 with internal adj rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 15:04
S43	1	(radio adj network adj control\$3 RNC) with server\$1 with internal with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 15:04
S44	15	(mobile adj terminal\$1 MT Mobile adj station MS)with (radio adj network adj control\$4 RNC) with SGSN with session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/12 15:11

S45	455	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 13:36
S46	33	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and transmit \$4 near2 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 13:37
S47	0	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and internal adj access	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 13:46
S48	278	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 13:46
S49	101	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and server\$1 and (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:07
S50	0	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and internal adj network and (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:15

S51	23	(serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)with context with (MT mobile adj terminal\$1 mobile adj station)and internal with network and (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:19
S52	17407	establish with session (MT mobile adj terminal MS mobile adj station)with internal with server with (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:30
S53	17406	establish with session (MT mobile adj terminal MS mobile adj station)with internal adj server with (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:30
S54	0	establish with session with(MT mobile adj terminal MS mobile adj station)with internal adj server with (radio adj network adj controller RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:30
S55	1	(MT mobile adj terminal MS mobile adj station)with (radio adj network adj controller RNC)with internal with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:31
S56	10	(MT mobile adj terminal MS mobile adj station)with (radio adj network adj controller RNC)with internal with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:32

S57	47	(Radio adj network adj controller\$1 RNC) same address \$2 same table\$1 same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 14:56
S58	50	(Radio adj network adj controller\$1 RNC) same internal same rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:32
S59	2000	(Radio adj network adj controller\$1 RNC) same rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:38
S60	260	(Radio adj network adj controller\$1 RNC) with packet\$1 with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:38
S61	23	(Radio adj network adj controller\$1 RNC) with local with network with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:51
S62	352	(Radio adj network adj controller\$1 RNC) with (rout\$3 forward\$3)with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:57

S63	57	(Radio adj network adj controller\$1 RNC) with (rout\$3 forward\$3)with SGSN with context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 15:58
S64	0	exchang\$3 with internal adj access with (Radio adj network adj controller\$1 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:03
S65	0	exchang\$3 with internal adj address\$2 with (Radio adj network adj controller\$1 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:03
S66	5	exchang\$3 with address\$2 with (Radio adj network adj controller\$1 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:03
S67	107	address\$2 with (Radio adj network adj controller\$1 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:05
S68	57	(server\$1 node\$1 router\$1 switch\$2)with (table\$1 address\$2) with (Radio adj network adj controller\$1 RNC) with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:07

S69	357	(server\$1 node\$1 router\$1 switch\$2)with (table\$1 address\$2) with (Radio adj network adj controller\$1 RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/13 16:09
S70	3492	GPRS with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 07:54
S71	58	(server\$1 node\$1 router\$1 switch\$2)with (table\$1 address\$2) with (Radio adj network adj controller\$1 RNC) with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 07:55
S72	1892	(Radio adj network adj controller\$1 RNC)with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 08:59
S73	231	(Radio adj network adj controller\$1 RNC)with SGSN with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:00
S74	1	(Radio adj network adj controller\$1 RNC)with bypass near2 SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:18

S75	11	(Radio adj network adj controller\$1 RNC)with bypass\$3 with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:35
S76	32	bypass\$3 with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:38
S77	2504	(rout\$3 forward\$3)with (Radio adj network adj control \$4 RNC\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:45
S78	874	(rout\$3 forward\$3)with (Radio adj network adj control \$4 RNC\$1)and SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:45
S79	15	internal with (rout\$3 forward\$3)with (Radio adj network adj control\$4 RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 09:56
S80	59	(internal local)with (rout\$3 forward\$3)with (Radio adj network adj control\$4 RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 10:00

S81	307	(internal local)same (rout\$3 forward\$3)same (Radio adj network adj control\$4 RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 10:04
S82	290	(internal local)same (routing route\$1 forward\$3)same (Radio adj network adj control\$4 RNC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 10:06
S83	9	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4)with (user adj plane adj server\$1 UPS) with (radio\$1 adj control\$3 adj server\$1 RCS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:03
S84	2	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4)with (user adj plane adj server\$1 UPS) with internal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:09
S85	159	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4)with table\$1 with address\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/14 11:18
S86	641	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)with table\$1 with address\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/15 09:03

S87	1075	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)and SGSN and GGSN and HLR and VLR and server and node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 09:52
S88	1578	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)and SGSN and GGSN and HLR and server and node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 09:54
S89	539	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)and SGSN and GGSN and HLR and relay and node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 16:25
S90	3	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)with ARP with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 17:47
S91	482	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)with rout\$3 with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/16 17:48
S92	5	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)SAME (Address adj resolution adj protocol ARP) SAME (serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 08:44

S93	61	(radio adj network adj control\$4 RNC BSC Base adj station adj control\$4 base adj station\$1)and (Address adj resolution adj protocol ARP) and (serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 08:46
S94	250	(Mobile adj terminal Mobile adj node) with server with (serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:30
S95	20	(Mobile adj terminal Mobile adj node) with server with message\$1 with (serving adj general adj packet adj radio adj service adj support adj node\$1 SGSN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:30
S96	0	transmit\$3 with information with internal adj server with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:47
S97	28	transmit\$3 with information with server with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:47
S98	4	server adj information with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:48

S99	1536	server with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:51
S100	228	(MT Mobile adj terminal) with server with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:51
S101	2	(MT Mobile adj terminal) with internal adj rout\$3 with SGSN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/03 17:56

9/ 23/ 2010 5:03:18 PM

C:\Documents and Settings\manwar\My Documents\EAST\Workspaces\10566255.wsp